# IMAGING OF COMPLICATIONS OF TOBACCO CONSUMPTION: RADIOLOGIST'S PERSPECTIVE



Dr. DEEP N SRIVASTAVA MD, MBA, FAMS, FICR PROFESSOR
DEPARTMENT OF RADIODIAGNOSIS
AIIMS, NEW DELHI

#### COMMON DISEASES CAUSED BY SMOKING

#### **LUNG DISEASES**

- CARCINOMA LUNG
- PULMONARY EMBOLISM
- COPD
- BRONCHIECTASIS

#### STROKE (CVA)

#### **HEART DISEASES**

- CAD
- TRIPLE RULE OUT



### PERIPHERAL VASCULAR DISEASES

- ATHEROSCLEROSIS
- BURGER'S DISEASE
- VENOUS THROMBOSIS

#### **OTHER DISEASES**


- Reduced fertility
- Premature, LBW babies
- Diabetes

nancroae


- Blindness, cataract, ARMD
- Cancers: colon, cervix, stomach,

### LUNG DISEASES











#### **ROLE OF RADIOLOGIST**

- DIAGNOSIS
- STAGING
- MANAGEMENT















#### **PANCOAST TUMOUR**


- Pulmonary apex tumour involving
- Brachiocephalic vein
- Subclavian artery
- Phrenic, recurrent L, Vagus nerve
- Sympathetic ganglion
- Horner's syndrome







**SVC STENTING** 




**BRONCHIAL ARTERY EMBOLIZATION** 

### IMAGING OF CAD CORONARY CALCIUM SCORING

CORONARY PLAQUE IMAGING CT CORONARY ANGIOGRAPHY ACUTE CHEST PAIN EVALUATION





Threshold = 130 HU (103.2 mg/cm3 CaHA)

Artery	Number of Lesions (1)	Volume [mm³] (3)	Equiv. Mass [mg CaHA] (4)	Calcium Score (2)
LM	1	81.5	16.46	93.7
LAD	4	418.3	110.40	507.7
CX	1	18.7	4.13	23.3
RCA	4	178.2	36.67	199.5
Total	10	696.7	167.66	824.3

- (1) Lesion is volume based
- (2) Equivalent Agatston score
- (3) Isotropic interpolated volume
- (4) Calibration Factor: 0.794

#### **IMAGING OF CAD**

**CORONARY CALCIUM SCORING** 


#### **CORONARY PLAQUE IMAGING**

CT CORONARY ANGIOGRAPHY
ACUTE CHEST PAIN
EVALUATION

#### **TYPES OF PLAQUE**

- Lipid-rich plaques
- Intermediate plaques
- Calcified plaques


Lipid plaques more vulnerable than calcified plaques




#### **IMAGING OF CAD**


CORONARY CALCIUM SCORING
CORONARY PLAQUE IMAGING
CT CORONARY ANGIOGRAPHY
ACUTE CHEST PAIN
EVALUATION
(TRIPLE RULE OUT)

**Volume rendering Maximum Intensity Projection(MIP)** 







#### **Coronary artery stenosis**



### **Coronary Artery Bypass Grafts**





#### **IMAGING OF CAD**

CORONARY CALCIUM SCORING CORONARY PLAQUE IMAGING CT CORONARY ANGIOGRAPHY

ACUTE CHEST PAIN EVALUATION

(TRIPLE RULE OUT)

#### Rules out

- Acute coronary syndrome
- Aortic dissection
- Pulmonary embolism


#### **Pulmonary embolism**



#### **Aortic dissection**




### PERIPHERAL VASCULAR DISEASES



### STROKE / CVA

#### **ROLE OF IMAGING**

- ACCURATE & RAPID DIAGNOSIS
- **CAUSE: Arterial / Venous**
- **INTERVENTIONAL TREATMENT**
- COMLICATIONS (HAEMORRHAGIC)





### Role of Imaging in Acute Stroke


- Accurate and Rapid Diagnosis Exclude Haemorrhage
- Determination of Mechanism/Cause of Stroke
- Patient Selection for Therapy/Clinical Trials
- Assess risk of complications/prognosis— predicting haemorrhagic transformation
- Future Developments

### CT in Ischaemic Stroke

- Distinguishes haemorrhagic Vs ischaemic stroke
- Early signs of ischaemia detected as early as 2 h after stroke onset
- Identifies haemorrhages almost immediately
- Detects SAH in the majority of cases
- Helps to identify other neurological diseases

#### **Benefits of CT**

 Rapid, Inexpensive, More readily available, Low cost, Accurate in detecting hemorrhage



## Limitations of CT in stroke intervention

#### Poor sensitivity


Up to 60% of CT scans are normal in the first few hours after ischemic insult


#### Poor specificity

 Up to 20% of patients will have a negative angiogram, possibly due to early spontaneous lysis of clot

### Advantages of MR


- Acute infarcts are more visible on MR images, with over 80% of MR images positive in the 1st day compared to 60% of CT scans.
- MR imaging is particularly superior in the detection of stroke in the posterior fossa
- Lacunar infarcts and small cortical strokes are also seen with higher conspicuity
- Diffusion- and perfusion-weighted MRI may help to differentiate between infarcted tissue and tissue at risk





### Catheter Angiography

- DSA remains the gold standard
- # Most precise technique
- # Aortic arch & intracranial vessels
- # Tandem stenosis
- # Collateral circulation
- # Non atheromatous lesions (aneurysms)
- # Low complication rate in experienced hands (<1.5%)



INTRACRANIAL STENOSIS


COLLATERAL FLOW



### Interventions in cerebral Ischaemia

Thrombolysis of left MCA occlusion





### Clot removal devices

- Endovascular thrombectomy
- Mechanical thrombectomy
- Augmented fibrinolysis (these techniques are currently investigational and most reports are anecdotal)










### OTHER DISEASES













PREMATURE AND LOW BIRTH WEIGHT BABIES, CONGENITAL ANOMALIES













REDUCER FERTILITY

BLINDNESS, CATARACT..

OTHER CANCERS: LARYNX, COLON, CERVIX, STOMACH, PANCREAS....









#### SUMMARY

#### ROLE OF RADIOLOGIST

- DIAGNOSIS
- STAGING
- MANAGEMENT

#### ROLE OF RADIOLOGIST IN MANAGEMENT

Knowledge of Anatomy, Previous studies,
 Accurate planning, Correct hardware etc......



GOOD TEAM WORK
IS KEY TO SUCCESS

**THANKS**